



# Install the happiness of Future Today



### Mini Rail 40mm with Accessories





Easy install in air gap 70 to 130mm





Suitable any trapezoidal riding sheet crest width



Available penetrating | non penetrating




Aluminum 6063-T6 grade



Optimised storage & compatible with all PV module

### Mini Rail 60mm with Accessories





Easy install in air gap 70 to 130mm





õ.

Suitable any trapezoidal riding sheet crest width



Available penetrating | non penetrating




Aluminum 6063-T6 grade



**Optimised** storage & compatible with all PV module

### Mini Rail 70mm with Accessories





Easy install in air gap 70 to 130mm





Suitable any trapezoidal riding sheet crest width



Available penetrating | non penetrating




Aluminum 6063-T6 grade



Optimised storage & compatible with all PV module

### Mini Rail 100mm with Accessories





Easy install in air gap 70 to 130mm





õ.

Suitable any trapezoidal riding sheet crest width



Available penetrating | non penetrating




Aluminum 6063-T6 grade



Optimised storage & compatible with all PV module

### **Double-C Rail** with Accessories





Length Varying from 1 to 6m



Air gap 140mm for heat dissi





### Wind speed


180KMPH will be with stand



Pull out test and FEA report



### Standing Seam with Accessories





Non

penetrative structure






Landscape short rail model 50/ 120mm height





# End Clamp 30/35/40mm





Quick and Easy to Mount



Designed for 200 KMPH



Aluminum Grade 6036-T6



### Easy

.usy


for transport and inventory

#### Universal Clamps are suitable for landscape



NO Puncture at Sheet

### **Double-C Rail** with Accessories







Designed for 200 KMPH



Aluminum Grade 6036-T6



#### Easy


for transport and inventory

#### **Universal Clamps** are suitable for landscape



No Puncture at Sheet

## Mid Clamp 30/35/40mm





Quick and Easy to Mount



Designed for 200 KMPH



Aluminum Grade 6036-T6



### Easy

for transport and inventory


#### Universal Clamps are suitable for landscape



NO Puncture at Sheet







A-87, Okhla Phase – II New Delhi, India Phone: +91-11-4353-6666 E-Mail: info@ornatesolar.com